

2.70

T. N. 15. R. N. 5. E. 2. N. 140

	182	⁹⁴ 182	¹⁰⁵ 181	²¹ 181	⁷⁰	^{0.4}
35	6. 174	5 168	4 160	3 155	2	1
²⁴⁶ 266	174	175	167	160.		
34	7 173	8. 166	9 160	10 155	11	12
	173	174	165	159.		
188	18	174	17	164	16	15
34	174	164	159	154	14	13
	173	173	163	158.		
250	19	173	20	163	21	158
34	173	20	163	21	158	22
	172	172.	162	157.		
257	30. 171	29 162	28 157	27 153	26	25
33	171	171	161	156.		
159	31 168	32 161	33 156	34 153	35	36.
33	152	152	151	151		
	¹⁴³	⁹⁴	⁹⁸	⁷⁵	¹⁷⁵	

150.

This image shows a single sheet of white, lined notebook paper. It features horizontal blue or grey ruling lines spaced evenly down the page. Two vertical lines are present: one on the left side creating a narrow margin, and another on the right side creating a wider margin. The paper appears slightly aged or off-white. There are some faint smudges and marks, particularly near the top left corner where it might have been folded or handled. No text or other markings are visible on the page.

T. N. ° 15. N. R. N. ° 5. E. 2. Mo. Ind. 151.

Chs. 1/2

Fractional.
Township Line.West. Bet. T's. N. ° 14 & 15 N. R. 5 E
from cor. bet. Sec. ° 34 & 35.

— a Beech 14. S. 83. E. 21.

" g. N. 85. W. 16.

on the S. Side of Sec. 34.

40.00. Q^r. Sec. fr. Beech 15. N. 16. W. 27.

Do. 14. S. 45. W. 13.

61.64. a Sycamore 40 in³ dia.

63.00. a Fork. 70. Ws. South.

80.00. Set P. cor. to Sec. ° 33 & 34.

Beech 10. N. 80. E. 40.

Sycamore 13. N. 60. W. 11.

L. level. Beech. Oak. Wngth Spru & qJuly 31st 1819.

West. On the S. Side of Sec. 33.

22.80. a Beech 15 in³ dia.40.00. Q^r. Sec. cor. Ash. g. S. 64. E. 35.

Beech. 7. N. 20. W. 15.

56.18. Elm 13. in³ dia.

152 T. N. 15. N. R. N. 5. E. 2. N. Int.

80.00. Set P. box. to Sec. 32 & 33.

L. level (Oak. 7. N. 7. E. 12.

Buck. Elm } Lynn 14. S. 10. W. 5.

Ash. Ungth Spruce. &c.

West. On the S. Side of Sec. 32.

32.48. a Hickory 14 in² dia.

40.00. Q^t. Sec. for. Oak. 28. N. 75. W. 16.

Ash. 17. N. 37. E. 16.

49.48. a Buck 18 in² dia.

80.00. Set P. box. to Sec. 31 & 32.

Hick. 8... N. 71. E. 17.

" 10. N. 75. W. 12.

Level. with L. Buck. Elm.

Oak. Ungth Spruce.

West. On the S. Side of Sec. 31.

16.61. an Oak. 40. in² dia.

40.00. Q^t. Sec. for. (Buck 22. N. 52. E. 30.

{ W. Oak 12. S. 28. W. 6.

52.18 a Buck 16 in² dia.

73.07. Set Post. for for. of Ranges 4 & 5. E.

T. N. 15. N. R. 15. E. 2. M. Ind. 153.

T. 14 & 15. N. R. 15. E. 2. M. Ind. 153.
 C. & Tim. (Beech 18. P. 85. E. 35.
 as above { Lym 20. P. 67. W. 12.
 Aug. 1st 1819.

Surveyed by
 John M. Donald.
 D. S.

Subdivisions.

North Bet. Sec. 34 & 35.

15.85. a Beech 20 in³ dia.

40.00. P. Sec. for. Beech 10. P. 1. E. 39.
 D. 12. N. 56. W. 44.

55.55. a Beech 18 in³ dia.

80.00. Set. P. cor. to Sect. 26. 27. 34 & 35.
 Beech 11. P. 16. E. 11. 14.
 D. 14. N. 80. W. 17.

L. Rotting & R. Beech. Ash. W. Oak.
 W. 12. P. 12.

North Bet. Sec. 26 & 27.

23.50. a Stream 15 W. S. W.

28.00. an Ash 30. in³ dia.

154.

- 40.00. Q^t. Sec. Post. Beech 11. S. 25. E. 11.
 " 14. N. 15. W. 29.
- 71.60. a Hickory 10 in^s dia.
- 80.00. Set P. Cor. to Sec^s 22. 23. 26. & 27.
 E. lev. 2nd } Elm 14. N. 81. W. 11.
 2nd R. Beech }
 Ash. Popl. } Beech 6. S. 32. E. 10.
 Hick. W. Oak. & Spruce.
- North. Set. Sec^s 22 & 23.
- 30.63. a Beech 18 in^s dia.
- 40.00. Q^t. Sec. P. Beech 12. S. 2. W. 10.
 " 15. N. 32. E. 25.
- 55.33. an Ash 10 in^s dia.
- 78.00. a beautiful Cream 20 W. S. P. W.
- 80.00. Set P. Cor. to Sec^s 15. 14. 23 & 22.
 Part 1st & 2nd } Locust 12. N. 69. W. 21.
 Part 2nd R. }
 - Rolling } Buckeye 10. East. 22.
 Beech. Ash. Wal. & Spruce & c.
- North. Set. Sec^s 14 & 15.
- 27.12. an Ash 15 in^s diam.
- 40.00. Q^t. Sec. for. Ash 12. S. 8. W. 33.
 " 11. N. 14. W. 23.

T. R. 15. N. R. N. 5. E. 2. N. Ind. 155.

56.54. a Beech 8 in. dia.

80.00. Bet. P. Cor. of Sec. 10. 11. 14 & 15.

L. level 1st. } Beech 6. N. 68. W. 4.
H. M. rich } Elm 16. S. 9. E. 22.Beech. Ash. W. Oak. Pop. Ungth Spice

North. Bet. Sec. 10 & 11.

13.65. an Elm 15 in. dia.

40.00. N. E. Sec. Cor. Beech 6. N. 89. W. 6.

, 20. S. 32. E. 29.

80.00. Bet. P. Cor. to Sec. 2. 3. 10 & 11.

Beech 18. S. 8. E. 20. &

an Ash 6. N. 39. E. 12.

S. Rolling, good 2nd R. Beech. Ash. Pop.
Ungth Spice

North. Bet. Sec. 2 & 3.

9.00. a Stream 40 Mo. S. W.

14.10. an Elm 10 in. diam.

31.50. a Dry Branch

40.00. N. E. Sec. Cor. Beech 18. N. 84. E. 6.

, 11. South 16.

41.50. a Small Stream S. W.

156. T. N. 15. N. R. N. 5. E. 2. M. Ind.

49. 80. a Sing. 10 in³ dia.

68. 00. Ind. N. Bound. 2 East of Post.
Rolling & (Bush 15. S. 32. E. 24.
good L.
Bush. Ash { D^o 8. N. 88. W. 27.
H. Oak. H. N. Pop. July 23. 1820.

North Bet. Sec. 33 & 34.

26. 00. a Stream 20 Ws. S. E.

29. 40. a Beech 10. in³ dia.

40. 00. O^r. Sec. Cor. Bush. 14. N. 48. W. 31.
12. N. 24. E. 22.

67. 88. a Bush 36. in³ dia.

80. 00. Set. P. Cor. to Sec. 27 & 34 on Random.
L. Rolling (Sug. 6. West. 5.
2^d. R. { Beech 4. S. 6. E. 4.
Tim. as above.

East. Bet. Sec. 27 & 34 on Random.

40. 00. Temp. O^r. Sec. Post.

44. 50. a Stream 50 Ws. South.

77. 72. Set. E. line 110 Ws. S. of Post.
P. level. Part 2^d. R. Part. oak. Beech.
Sug. Ash. 2. 2.

West. forested.

29.86. O^t. Sec. for Hackby. 5. N. 84. E. 9.
24. S. 70. W. 29.

79.72. Sec. bor.

North Bet. Sec^s 27 & 28.34.72. a Pop. 18 in³ diam.40.00. O^t. Sec. for Sug. 11. N. 31. E. 17.

67.30. a Spraing Draft. P. C. good Water.

72.00. a Stream 40 Wks. P. C.

74.00. a Wal. - 24 in³ diam.75.00. Bet. P. bor. to Sec^s 21, 22, 27, & 28.

L. Rolling Sug. 15. E. 73. W. 8.

very rich " 5. N. 30. E. 20.
Ing. Wal. Hackby. v. c.East. Bet. Sec^s 22 & 27. on Random.40.00. Temp. O^t. Sec. Post.79.70. Int. C. line 75 Wks. S. of Post.
L. Rolling 1st 1/2 m. 1st R. 1st 1/2 m. 2nd R.
Buck, Ash. W. Oak, Some Walnut.
Along 1/2 Spruce

West. forested.

29.75. O^t. Sec. for. (Buck 6. N. 18. E. 12.
Ing. 5. S. 30. W. 6.

79.70. Sec. bor.

158. T. N. 15. N. R. N. 5. C. 2. No. Int.

North. Bet. Sec. 21 & 22.
 21.00. a Stream 45 Ws. S. W.
 40.00. Q^t. Sec. cor. { Beach 12. S. 37. E. 14.
 { Elm 46. N. 15. E. 23.

50.00. a Stream 30 Ws. S. E.

60.00. an Elm 15 in³ diam.

80.00. Bet. P. cor. of Sec. 15, 16, 21 & 22.

Beach 20. N. 40. W. 18.

" 22. S. 22. E. 17.

L. level 1st R. Beach. Ash, some Wal.
 Wagth. Spice & Papaw.

East. Bet. Sec. 15 & 22 on Random.

16.00. a Stream 30 Ws. South.

34.00. a Spring. Draft South.

40.00. Temp. Pt. Sec. Post.
 79.16. Cont. E. line 113 Ws. S. of Post.

L. Rolling. good 2^d R. Tim. as above.

West. corrected. { Ash. 30. N. 61. W. 19.

39.58. Q^t. Sec. cor. { Beach 10. S. 66. E. 14.

79.16. Sec. corner.

T. N^o. 15, N. R. N^o. 5. C. 2^d. Ab. Ind. 159.

North. Bet. Sec^s 15 & 16.

20.90. a Sing. 30. in^s dia.

40.00. Q^d. Sec. for. Beach 18. S. 11. W. 35.

" 12. N. 77. E. 10.

69.54. a Beach 15 in^s dia.

80.00. Bet. P. for. of Sec^s 9. 10. 15 & 16.

L. level good (Beach 14. S. 30. E. 11.

Beach. Ash

Eng. W. Oak } 2^d. 10. N. 34. W. 21.

Pop. Hick. & Spruce.

East. Bet. Sec^s 10 & 15 on Random.

40.00. Temp. Q^d. Sec. Post.

40.50. a Dream 45 Ws. South.

43.00. a Spring Draft. N. W.

48.00. a Spring Course S. E.

66.50. a Dream 10 Ws. S. W. No Water

77.40. Int^d. E. line. 47. Ws. S. of Post.

L. Rolling. Soil thin. Tim. as before.

West. corrected. Bet. Sec^s 10 & 15.

39.70. Q^d. Sec. for. W. Oak 20. N. 9. E. 75.

Walnut 18. S. 3. E. 54.

77.40. Sec. for. July 24th 1820.

North Bet. Sec^s 9 & 10.

14.55. a Beech 14 in^s diam.

40.00. Q^d. Sec. for Buckeye. 12. S. 44. W. 14.

Sig. 7. N. 2. E. 28

43.75. an Elm 30 in^s diam.

80.00 Bet. P. cor. of Sec^s 3, 4, 9 & 10.

L. lived (Sig. 11. S. 30. E. 21.

2^d R. { Beech 15. N. 20. E. 21.
Beech. Ash. & 2

East, Bet. Sec^s 3 & 10 on Random.

40.00. Temp. Q^d. Sec. Post.

62.50. a Stream 35 Ws. South

79.58. Int. E. line 145 Ws. S. of Post,
L. & Timber as before.

West, corrected

39.79 Q^d. Sec. Post { Beech. 15 S. 22. E. 8.

49.58. Sec. for. { Wal. 12. N. 1. E. 34.

North Bet. Sec^s 3 & 4.

13.00. a Buckeye 8 in^s diam.

49.00. Q^d. Sec. cor.

T. N. 15. N. R. N. 5. C. 2. No. Ind. 101.

Buck 18. N. 40. C. 32.
 " 15. S. 44. C. 24.
 50.39. an Ash. 10 in³ dia.
 62.39. (Set² N. Bound. 21. Mks. W. of 1st)
 — set Post from which —
 Buck 24. S. 57. C. 8.
 Sug. 5. N. 84. W. 14.
 L. good 2nd R. Buck, Ash. Hick. W.
 Oak. Pop. Spruce. Dogwood.

North Bet. Sec³ 32 & 33.
 9.50. a Stream 25 Mks. East.
 40.00 Pt. Sec. for. Buck 10. N. 17. W. 10.
 " C. S. 52. W. 12.
 46.70 an Ash 20 in³ dia.
 82.00. Set P. for. of Sec³ 28. 29. 32 & 33.
 Buck 30. S. 71. C. 17.
 Water Buck. C. S. 88. W. 8.
 Same Buck. Ash. Sug. Ang² Spruce

East. Bet. Sec³ 28 & 33. on Randoms.
 40.00. Pt. Sec. Post. Jump.

162.

80.14. Int. C. line 119 Ws. S. of P.
L. & Timber as before. July 23rd 1820.

West. corrected

40.97. Q^{ty} Sec. Post Elm 20. N. 11. E. 11.
80.14. Sec. cor. W. Oak 33. S. 3. W. 18.

North. Bet. Sec. 28 & 29.

24.90. a Beech 15 in^s diam.

40.00. Q^{ty} Sec. cor. Beech 7. S. 6. E. 8.

" 12. N. 72. W. 20.

40.15. a Beech 12 in^s dia.

79.00. a Stream 15 Ws. N. E.

80.00. Set P. for. to Sec. 20. 21. 28 & 29.

L. level 1st R. Dogwood 4. S. 41. E. 13.

Beech. Ash. { Beech. 5. N. 57. W. 8.
Pig. Wngth Spruce. Paper.

East. Bet. Sec. 21 & 23 on Random.

1.00. a Stream 15 Ws. N. E.

40.00. Tints. Q^{ty} Sec. Post.

67.50. a Stream 50. Ws. S. E.

74.00. a Stream 40. ; S. E.

T. N. 15 N. R. N. 5 E. 2^d No. Ind. 103

80.24 Int. C. line 126 Ws. S. of Post.
L. Rolling 1st R. Timb. as before

West: corrected.

40.12. O^h Sec. for. { Beech 10. N. 61. E. 15.
80.24. Sec. Cor. { D. 15. S. 88. W. 17.

North Bet. Sec. 20 & 21.

20.56. an Ash. 20 in ² dia.

40.00. O^h Sec. Cor. Beech. 22. S. 20. E. 23.
" 18. N. 24. W. 11.

72.00. a wet Weather Stream. 10 Ws. East.

74.50. a Beech 20 in ² dia.

80.00 Set P. for. to Sec. 16. 17. 20 & 21.
L. hard & rich (Beech 12. S. 53. E. 10.
Beech. Ash. Pop.)
Pug. W. Oak. " 28. N. 46. W. 21.
very fine Spruce

East: Bet. Sec. 16. & 21. on Random

13.00. a Stream 15 Ws. N. E.

15.00. a Stream 15 Ws. S. E.

23.00. a Stream 15 " N. E.

40.00. Temp. O^h Sec. Post.

104.

50.00. a Stream 40. Ws. S. E.

80.57. Int. E. line 67 Ws. S. of Post.

Rolling rich, Beech. Ash. Pop. Sug.

W. Oak. Undst Spice & ...

West. projected. Bet. Sec^s 16 & 21.

40.28. Qst Sec. Post { W. Oak. 20, A. 36, W. 44
" 12. S. 35. E. 35.

North Bet. Sec^s 16 & 17.

3.02. a Hickory 18 in^s diam.

9.00. a dry Branch S. E.

19.50. a Stream 15 Ws. S. E.

40.00. Qst Sec. for Beech. 20. S. 15. E. 5;
Water Beech 7. A. 9. W. 32.

14.75. an Ash. 20 in^s dia.

20.00. Bet. P. for. to Sec^s 8. 9. 16. & 17.

21st R. Beech. { Ash. 24. S. 30. W. 14.

Ash. W. Oak. { Beech 12. A. 35. E. 26.

East. Bet. Sec^s 9 & 10 on Random.

40.00. Temp. Qst Sec. Post.

55.12. a Stream 35 Ws. South.

80.06. Int. E. line 38 Ms. S. of P.
L. & tinjas before.

West. foreclosed.

40.02. O^h. Sec. Cor. S. 9. 20. S. 36. E. 9.
Buckeye 10. N. 11. E. 15.
80.06. Sec. Cor.

North. Bet. Sec. 8 & 9.

37.56. a Beech 12 in³ dia.

40.00. O^h. Sec. Cor. Beech. 20. N. 62. E. 18.
Popl. 12. S. 51. E. 21.

67.12. an Elm 8 in³ diam.

42.15. a Stream 20 Ms. S. E.

80.00. Set P. for. to Sec. 4. 5. 8 & 9.
Beech 20. S. 46. W. 3. &

Beech 14. N. 46. E. 3.

1st 1/2 M. level 2nd R. last 1/2 Rolling
- 1st R. Beach. Ash. Sug. Wat. Sprin.

East Bet. Sec. 4 & 9 on Random.

30.50. a Stream 15 Ms. S. W.

40.00. Turn to. O^h. Sec. Post.

80.24. Int. E. line 35 Ms. S. of P.
L. Rolling 1st R. Tin. as before.

166. T. N. 15. N. R. N. 5. E. 2. M. Int.

- West. corrected. Lign 8. 10. E. 3.
 40. 12. Q. Sec. P. 14. 76. W. 18.
 81. 24. Sec. cor.
- North. Bet. Sec. 4 & 5.
 4. 67. Q. Sec. P. Beech 20. in. diam.
 44. 10. Q. Sec. P. Beech. 20. S. 1. E. 52.
 " 8 N. 18. E. 10.
 47. 50. a Stream 10 Mo. N. E.
 47. 75. an Ash. 12 in. diam.
 67. 55. Oak. N. Bound. 105 Mo. W. of Post.
 L. level 1st R. (Ash. 3. N. 33. W. 4.
 Beech. Ash. } 30. S. 4. E. 26.
 W. Oak. Pop. } Wingth Spice.
- North. Bet. Sec. 31 & 32.
 26. 13. an Ash. 8 in. diam.
 32. 00. a Stream 12 Mo. S. E.
 40. 00. Q. Sec. cor. Ash 7. N. 13. E. 17.
 Sug. 4. S. 16. E. 13.
 80. 00. Set P. cor. to Sec. 29. 30. 31 & 32,
 L. level soil } Elm 20. North 11.
 rich. Beech } Ash. 12. S. 24. W. 29
 Ash. Sug.
 Wingth Spice

T. N. 15. N. R. N. 5. E. 2. M. T. 169

East. Bet. Sec. 29 & 32 on Random
 40.00. Temp. O. Sec. Post.
 49.00. Int. E. line S. of Post.
 L. level, good 2^d R. Tim. in 1/2 hr.

West. Corrected.
 39.50. O. Sec. for Beech 20. S. 10. W. 2.
 49.00. Sec. for. D. 7. N. 22. W. 13.

West. Bet. Sec. 30 & 31.
 13.10. an Ash 28 in² diam.
 40.00. O. Sec. for Beech 5. N. 84. E. 12.
 Crownwood 5. N. 59. W. 20.

48.07. a W. Oak 50 in² dia.
 43.12. Int. W. Bound 159 Ws. N. of cor.
 L. level & rich { Beech 4. S. 24. E. 20.
 Beech. Ash. { " 30. N. 23. W. 2.
 W. Oak. part
 inclining to wet.

North Bet. Sec. 29 & 30.
 35.00. a Beech 15 in² diam.
 40.00. O. Sec. for Beech, 30. N. 17. W. 21.
 " 18. S. 14. E. 17.

170 T. N^o 15, N. R. N^o 5, E. 2^o N. Ind.

87.00. Set. P. for. to Sec^s 19, 20, 29 & 30.
L. level 2^o R. Beech, 10. North 3.
Beech, Ash, Ungth } Ash. 24. S. 42. E. 11.
Spice

East. Bet. Sec^s 20 & 29 on Random

40.00. Temp. O^o Sec. Post.

49.25. Ch^o E. Bound. 48 Ws. S. of Post.
L. good 2^o R. Tim same as above.

West. Corrected Bet. Sec^s 20 & 29.
39.62 O^o Sec. for. Beech. 8. N. 16. E. 9.
Aug. 12. S. 35. E. 23.

49.25. Sec. for.

West. Bet. Sec^s 19 & 30.

32.75 a Beech 20 in^s diam.

44.00. O^o R. for. W. Oak. 30. S. 45. E. 38.
Ash. 12. N. 64. W. 9.

42.15. Ch^o W. Bound. 239 Ws. N. of P.
Ash. 9. S. 12. W. 23.
" 6. N. 62. E. 3.

L. level 2^o R. Beech, Ash & Spice.

T. N. 15. N. R. N. 5. C. 2. N. Ind. 171.

North. Bet. Sec. 19 & 20.

17.16. a Beech 11 in. diam.

40.00. O^t. Sec. for Beech 5. S. 10. C. 19.

Hick. 28. N. 70. W. 3.

63.80. an Ash 8 in. diam.

80.00. Set P. Cor. to Sec. 17. 18. 19 & 20.

L. rich rather

wt. Ash. W.

Oak. Ungth.

Spice. P. Ash

(Beech 14. S. 24. W. 18.
Ash. 30. N. 75. C. 7.

East. Bet. Sec. 17 & 20 on Random.

40.00. Temp. O^t. Sec. Post.

47.50. a Dry Stream 10 Ws. N. E.

80.00. Set P. E. line 50. Ws. S. of Post.

L. level good 2" R. Beech. Ash. Post. W.
Oak. Ungth Spice.

West. corrected

40.00. Det. O^t. Sec. P. Water Beech 3. N. 11. C. 2.

Beech 7. S. 2. W. 30.

80.00. Sec. for.

West. Bet. Sec. 18 & 19.

1.14 a Beech 20 in. diam.

40.00. O^t. Sec. for W. Oak. 36. S. 58. C. 10.

Ash. 4. N. 8. W. 2

172. T. N^o 15. N. R. N^o 5. E. 2. M. Ind.

63.25. an Ash 18 in^s diam.

72.50. Int^o W. Bound. 250 lbs. N. of P.
 L. level 2^d R. } Beech 18. N. 80. E. 22.
 part. wet. } Poplar 18. N. 73. W. 8.
 Fin. Beech
 2^d E.

North Pet. Sec^s 17 & 18

19.78. a Beech. 6 in^s dia.

40.00. Q^d Sec. for Sug. 6. P. 20. E. 24.

Beech 8. N. 53. E. 15.

67.46. a Beech 20 in^s dia.

80.00. Pet. P. for. to Sec^s 7. 8. 17. & 18.

L. level good. } Ash 10. P. 42. W. 7.
 2^d R. Beech

Ash. 2^d R. } Elm 43. N. 43. W. 14.
 Ength Spruce

East. Pet. Sec^s 8 & 17 on Random.

40.00. Temp. Q^d Sec. Post.

64.00. a Dry Branch 10 lbs. P. E.

40.50. a dry Branch 15 " South.

70.46. Int^o E. line 80 lbs. P. of Post.
 L. level 2^d R.

West. Beech } Sug. 18. P. 47. W. 15.

39.73. Q^d Sec. for } Beech 24. N. 36. E. 30.

L. N. 13, N. R. N. 5 C. 2^d Mo. Int. 173.

49.40 Sec. for.

West. Bet. Sec. 7 & 18.

11.50 a Beech 20 in^d dia.

40.00 Q^d Sec. for. Ash. 15. S. 14. E. 11.
Buck 6. S. 80. W. 26.

59.47 an Ash. 7 in^d dia.

72.58 Int. W. Bound. 185 Ws. N. of P.

L. same { Ash. 8. N. 7. W. 18.

{ D^d 7. S. 61. E. 17.

North. Bet. Sec. 7 & 8.

9.08 a Beech 18 in^d dia.

40.00 Q^d Sec. for. Beech. 22. N. 5. E. 33.
" 12. S. 22. W. 12.

47.17 an Ash 17 in^d dia.

80.00 Set P. for. to Sec. 5. 6. 7 & 8.

S. level Soil
rich. Buck. Ash. { W. Oak. 12. South. 7.
W. Oak. Eng. Pop. { Ash. 10. N. 34. E. 5.
Ang^d. Spice & no water.

East. Bet. Sec. 5 & 8 on Random.

40.00 Temp. Q^d Sec. Part.

44.00 a Steam of Ws. S. E

79.46. Int^o. E. line 10 Ws. N. of Post:
L. rolling & rich. Tim. mostly Ash.

West. Protected.

39.73. Q^o. Sec. for. { W. Oak. S. 81. W. 3.
Ash 9. N. 82. E. 11.

79.46. Sec. for.

West. Bet. Sec^s 6 & 7.

28.15. a Beech 20 in^s dia.

40.00. Q^o. Sec. for. { W. Oak. 15. N. 11. E. 8.

51.85. a Sug. 9 in^s diam.

71.69. Int^o. W. Bound. 246 Ws. N. of P.
L. level^o. R. { Wal. 12. A. 43. E. 11.
Beech. Ash &c. { D^o 12. S. 40. W. 6.
This corner is
in very rich land

North Bet. Sec^s 5 & 6.

2.50. an Ash. 8 in^s diam.

40.00. Q^o. Sec. for. Beech 15. S. 6. W. 21.
Ash. 12. North 22.

43.42. a Beech. 18 in^s dia.

68.63. Post. North Bound. 94 Ws.

N. of Post { Mulberry 5. S. 69. E. 19.
Beech. 7. A. 83. W. 16.

T. N. 15. A. R. N. 5. E. 2. M. Ind. 175

L. lwd. good 2" R. Birch. Ash.
 W. Oak. Hick. Pop. Ung^l.
 Spruce &c.

Surveyed by.
 John Hendricks.
 D. S.

176.

[illegible]